

SEAMLESS. STRONG. DURABLE. STORAGE TANKS.



The RainFlo above ground storage tanks are constructed of a medium density linear polyethylene making them rugged and impact resistant. Storage tank capacities range from 300 gallons to 1600 gallons and are green to blend with the environment, provide additional protection from UV rays, and reduce algae growth.

Key Features:

- Manufactured to strict ISO 9001:2015 quality guidelines
- Seamless one-piece linear medium density polyethylene construction
- Strong, durable construction
- Integrated tie-down lugs
- 2" bulkhead/siphon fitting included
- 16" manway opening with included lid
- Molded exterior calibration markings
- Impact and corrosion resistant
- 3 year warranty

ABOVE GROUND STORAGE TANKS

Part Number	Tank Size (US gallons)	Dimensions (D x H)	Fill Opening	Drain Size	Estimated Weight (lbs.)
RFAGT-300G	300	46" x 49"	16"	2"	56
RFAGT-400G	400	46" x 63"	16"	2"	74
RFAGT-600G	600	58" x 63"	16"	2"	114
RFAGT-1250G	1250	80" x 70"	16"	2"	180
RFAGT-1450G	1450	80" x 79"	16"	2"	216
RFAGT-1600G	1600	86" x 79"	16"	2"	238

*For a complete list of tanks, please contact your representative

RAINFLO ABOVE GROUND BUNDLE

Choose the tank for your system and this above ground package includes all the other components needed to construct a rainwater collection system. The bundle includes a pump, floating extractor, overflow siphon, calming inlet, leaf eater, first flush, and hardware/fittings.



INSTALLATION TIPS

- Hard-plumbing of plastic tank is not recommended due to the expansive/contractive characteristics of polyethylene; use elbows to allow flex
- A concrete pad is recommended for installation, however, tanks may be placed on any flat level "compacted" surface
- For above ground installation only