

2009 SOURCEBOOK

Rain Harvesting Solutions



*Offering the Largest & Most Complete Inventory
of RAIN HARVESTING SYSTEMS in the World!*



RainHarvest
S y s t e m s

770.889.2533
www.rainharvest.com

Pricing effective January 1, 2009



*Welcome to RainHarvest Systems,
where we savour each drop!*

*We offer the largest and most complete
inventory of Rain Harvesting Systems in
the world. What was previously a complex and
costly issue, RainHarvest Systems, has taken
the world of rainwater capturing
systems to an enjoyable and affordable level.*

*As a stocking retailer & wholesaler,
RainHarvest Systems maintains a showroom,
rainharvesting lab and warehouse near
Atlanta, Georgia.*

*At RainHarvest Systems, we give you a wide
array of choices on price and technology. Each
rainwater capturing project is different and the
solutions you apply can be tailored to suit your
needs. You can always choose the right
product at the right price at
RainHarvest Systems.*



770.889.2533 www.rainharvest.com

Table of CONTENTS

<u>PRODUCTS</u>	<u>PAGE</u>
FILTERS	1 - 5
PUMPS	6 - 8
TANKS	9 - 11
MODULAR STORAGE	12
COMPLETE SYSTEMS	13-14
ACCESSORIES	15-16



FILTERS

In-Ground FILTERS

RESIDENTIAL & LIGHT COMMERCIAL

3P Technik VF1 Volume Filter



Rainwater filter for roof areas up to 3,500 square feet. Provides a high level of filtering efficiency, independent of flow rate. Continuous filtering of dirt particles. Self cleaning. Shown with optional telescopic riser.

PRODUCT CODE: 1000591

Graf MiniMax Filter®



High efficiency, self-cleaning, below ground filtration system.

- Over 95% yield
- Self-cleaning filter
- Max. 3,750 sq. ft.
- Minimum height offset

PEDESTRIAN - [Option A]

PRODUCT CODE: 340060

VEHICLE LOADING - [Option B]

PRODUCT CODE: 340061

(Ships with cast iron lid.)

Graf OptiMax Filter®



High efficiency, self-cleaning, below ground rainwater filtration system.

- Over 95% yield
- Self-cleaning filter
- Max. 3,750 sq. ft. with 4" connections
- Max. 7,500 sq. ft. with 6" connections

PEDESTRIAN - [Option A]

PRODUCT CODE: 340030

VEHICLE LOADING - [Option B]

PRODUCT CODE: 340031

(Ships with cast iron lid.)

Graf Pot Filler



For installation at ground level for underground tank inflow. Good value alternative for garden irrigation, ponds or percolation systems.

- 4" connections

PRODUCT CODE: 202009

Graf Universal 3 Filter



High efficiency, below ground filtration system.

- 100% water yield
- Max. 3,750 sq. ft. with 4" connections
- Max. 5,500 sq. ft. with 6" connections

PEDESTRIAN - [Option A]

PRODUCT CODE: 340020

VEHICLE LOADING - [Option B]

PRODUCT CODE: 340021

(Ships with cast iron lid.)

RainHarvesting Filter Pit™, 22"



Designed for both commercial and residential drainage applications, RainHarvesting's heavy duty polypropylene stormwater pits are strong and durable.

PRODUCT CODE: TAFP01

WISY 100 Vortex Rainwater Filter: 2200sf In-Ground



Used in installations where multiple downspouts are connected together to a single pipe into the vortex filter. The medium capacity vortex rainwater filter can filter up to a 2,200 square foot roof area for site irrigation, toilet and urinal flushing, janitorial use, laundries, fire protection, evaporative cooling tower make-up, process water or other non-potable uses.

PRODUCT CODE: WFF100



WISY Standpipe Downspout Filter Collector with Converter Kit

This standpipe downspout filter collector is installed in the vertical rainwater downspout piping partly below grade to remove debris to the storm water system and divert 95% of the clean rainwater to an underground storage tank. The filter operates as a first flush device. The filter assembly consists of downspout converter kit and filter.

PRODUCT CODE: RH9511-04

3P Technik VF2 Large Volume Filter



Rainwater filter for large roof areas where underground installation is desired. Unique dual cascade filtration provides a high level of filtering efficiency, independent of flow rate, for roof areas up to 12,400 sq. ft. Self cleaning.



PRODUCT CODE: 1000600

Graf Universal 3 Industrial Filter



High efficiency, below ground filtration system.

- 100% water yield
- Max. 3,750 sq. ft. with 4" connections
- Max. 5,500 sq. ft. with 6" connections

PEDESTRIAN - [Option A]

PRODUCT CODE: 340050

VEHICLE LOADING - [Option B]

PRODUCT CODE: 340051

(Ships with cast iron lid.)

Industrial FILTERS

WISY 150 Vortex Rainwater Filter: 5500sf In-Ground



The medium capacity vortex rainwater filter can filter up to a 5,500 square foot roof area for site irrigation, toilet and urinal flushing, janitorial use, laundries, fire protection, evaporative cooling tower make-up, process water or other non-potable uses.

PRODUCT CODE: WFF150

Graf OptiMax® Industrial Filter



Industrial duty, high efficiency, self-cleaning, below ground filtration system.

- Over 95% yield
- Self-cleaning filter
- 6" and 8" connections
- Max. 8,000 sq. ft. with 6" connections
- Max. 16,000 sq. ft. with 8" connections

PEDESTRIAN - [Option A]

PRODUCT CODE: 340035

VEHICLE LOADING - [Option B]

PRODUCT CODE: 340036

(Ships with cast iron lid.)

FILTERS

Downspout FILTERS & DIVERTERS

3P Technik Collection Filter & Diverter



This clever product is a perfect match for rainbarrels, smaller storage tanks or even as a top-off device for swimming pools. Leaves and debris that cause sludge build up and poor water quality are removed through a stainless steel mesh, allowing the cleaned water to enter the rain barrel or storage tank. Easy to install into existing rectangular or round downspouts.

- Choose Black, Brown, Light Gray or White

PRODUCT CODE: 2000830

Leaf Beater Rain Head



The Leaf Beater is ideal for use with cisterns and tanks from 40 - 500 gallons. Filters leaves and debris through an enlarged gutter opening.

PRODUCT CODE: RHLBXX

Leaf Eater Rain Head



The ultimate high performance self-cleaning rain head ... improves water quality and reduces tank maintenance. By screening leaves onto the ground, the Leaf Eater(c) prevents gutters from blocking and eliminates a fire hazard.

PRODUCT CODE: RHLE99

GRAF Quattro Twist Downspout Filter & Diverter



- Choose Beige, Brown or Gray

Rainwater filter and diverter for round and rectangular downspouts with 1" side outlet. Patented swivel design accommodates tanks in any direction. Ships complete with 12" hose and bulkhead fitting for connection to tank or rain barrel.



PRODUCT CODE: 50305X


WISY Inline Downspout Filter with Converter Kit



Connects to a single vertical rainwater downspout and can filter up to a 750 square foot roof area for irrigation, car washing or other non-potable uses. Perfect for up to 32 gallons per minute flow rate.

PRODUCT CODE: RH9510-04

Rain Catcher Nest Filter



The Rain Catcher® is a versatile leaf and debris catcher with two horizontal internal screens. This product is ideal for low leaf, low rainfall areas.

PRODUCT CODE: RHRC99

WISY Standpipe Downspout Filter Collector with Converter Kit



This standpipe downspout filter collector is installed in the vertical rainwater downspout piping partly below grade to remove debris to the storm water system and divert 95% of the clean rainwater to an underground storage tank. The filter operates as a first flush device. The filter assembly consists of downspout converter kit and filter.

PRODUCT CODE: RH9511-04

In-Tank FILTERS

3P Technik Cistern Filter



Ideally suited for small to mid size systems where filter installation inside for storage tank is desired.

PRODUCT CODE: 1000400

GRAF MiniMax® Internal Filter Package



Internal self-cleaning filtration system to clean the rainwater inside the tank riser. Space-saving filter technology integrated in the tank – only 1 cover in the garden.

- Self-cleaning filter
- Provides over 98% water yield
- Maximum 3,750 sq. ft. of roof surface
- 4" connections
- Optional Opticlean® filter sprayhead

PRODUCT CODE: 202556

GRAF Floating Inlet Filter with 8' Hose



The floating extractor consists of an air-filled ball which suspends the floating inlet filter 4" below the water's surface where the cleanest and most oxygenated water resides. An important component for any irrigation or toilet flushing application.

PRODUCT CODE: 333012

Graf Universal 3 Internal Filter Package



Internal basket filtration system to clean the rainwater inside the tank riser. Space-saving filter technology integrated in the tank – only 1 cover in the garden.

- 100% water yield – ideal for smaller roof surfaces
- Self-cleaning filter
- Max. 3,750 sq. ft. of roof surface
- 4" connections

PRODUCT CODE: 342002

WISY Floating Filter



1¼" WISY or 2" WISY Stainless Steel Floating Filter with either coarse or fine screen and 7" hose.

PRODUCT CODE: 1¼" - RH9532C-1
2" - RH9532C-2

Graf Optimax® Pro Internal Filter



Internal self-cleaning cascade filter for underground cisterns and above-ground water tanks. Suitable for roof areas up to 3,750 sq. ft.

- Optional Opticlean® filter sprayhead

PRODUCT CODE: 340037

FILTERS

First FLUSH

FIRST FLUSH Diverter for InGround Systems



The Rain Harvesting In-Ground 12" First Flush water diverters improve rainwater quality and safety, help extend the life of pumps (used to distribute rain- and internal appliances that draw upon rainwater (such as laundry, toilets, hot water systems and dishwashers) and reduce tank maintenance.

PRODUCT CODE: WDIG99


FIRST FLUSH Diverter for Post or Wall Mounting



These Rain Harvesting units divert large volume of water, so in many cases one unit is sufficient. The diverters can be mounted on a wall, post or stand, and can be adapted to suit a wide range of applications. They receive single or multiple pipes coming from the roof. The benefit of one larger unit is that it can be easier to maintain than a series of smaller diverters installed at each downpipe.

PRODUCT CODE: WDPW99

The RainHarvesting® First Flush Downspout Diverter



Simple and effective first flush devices, these are installed at the downpipe and used when there are a small number of downpipes supplying water to the tank.

3" Kit: **PRODUCT CODE:** WDDS99

4" Kit: **PRODUCT CODE:** WDDS98

Water PURIFICATION

UV Pure Upstream UV Sterilizer



UV Pure Upstream UV disinfection system. Patented Crossfire technology provides dual UV lamps and dual monitors for safe drinking water. Self-cleaning.

PRODUCT CODE: NC15-50

Filter Housings



We offer a large selection of housings that accept standard filter cartridges to meet your needs.

PRODUCT CODE: FWBL01X

Big Blue® Filter Housings



Our 4" X 20" Big Blue filter housing with purge button is the most popular for rainwater harvesting applications. Accepts standard filter cartridges.

PRODUCT CODE: FWBL1PR

Filter Cartridges



Our string-wound and carbon block cartridges provide high performance particulate filtration and also remove organic chemicals and odor.

PRODUCT CODE: FC425XX

SUBMERSIBLE



DAB Pulsar Dry

DAB Pulsar Dry Submersible Pumps
Continuous duty pumps with stainless steel base and a 1-1/4" threaded intake for use with a floating filter. Available in 1/2 HP, 1 HP and 1-1/2 HP models.

1/2 HP **PRODUCT CODE:** 200-506
3/4 HP **PRODUCT CODE:** 30-806
1 1/2 HP **PRODUCT CODE:** 50-806

LEADER Divertron-X 1200 / 1200



Leader Divertron-X 1200 1HP submersible automatic rainwater pump with integrated on/off control and run-dry protection.

X 1200 - Threaded Inlet
1200 - Screened Inlet

PRODUCT CODE: LDRX1200

ECOSUB Submersible Pump



Safe, reliable and high quality submersible pump useful for drainage, flood prevention, waterfall and irrigation. The models include float switch for run-dry protection.

420A 1/2 HP
PRODUCT CODE: ECOSUB420A

Above GROUND

ECOJET 120 Self-Priming 3/4 HP Jet Pump



Safe, reliable, easy-priming jet pump for domestic water applications, irrigation and gardening.

PRODUCT CODE: 120001

GOULDS Submersible Pumps with Base



Goulds Pumps. 1/2 HP to 1 1/2 HP, 115V-230V, with base. Multi-stage, Bottom-Inlet, High Head Submersible pumps. Typically sold together with base. Call for info if pump is needed separately or with a different base.

1/2 HP 115v **PRODUCT CODE:** 26SE0511
1/2 HP 230v **PRODUCT CODE:** 26SE04512
3/4 HP 230v **PRODUCT CODE:** 1SC51D1GA
1 HP 230v **PRODUCT CODE:** 1SC51E1HA

GRUNDFOS MQ 3-45 Jet Pump



The Grundfos MQ is a compact all-in-one pressure boosting unit, designed for domestic water supply and irrigation. The MQ pump is ideal for pressure boosting from water storage tanks and cisterns or from city water supply. Features automatic on/off function for water usage.

PRODUCT CODE: MQ-3-45

PUMPS

Pump CONTROL

SMART PRESS Electronic Pump Control



Electronic controller with integral flow regulation turns pump on and off when points of use are opened and closed while providing constant pressure vessels along with built in dry run protection for your pump.

115 Volt- [Option A]
230 Volt - [Option B]

PRODUCT CODE: 6000451

PRODUCT CODE: 6000452

MASCONTROL 1¼" Pump Control



Mascontrol 1¼" pump control, 115/230V dual-voltage. The leading design in pressure-based pump control with run-dry protection.

PRODUCT CODE: MASMCB125

Solar POWERED

These solar-powered water pumping systems offer:

- Off grid independence (No wiring required from your home)
- Battery re-charges from solar panel technology
- Operation with any off-the-shelf sprinkler or underground misting system
- Corrosion-resistant materials
- Built-in "cleanable" filter
- Dispersal of 3 gallons-per-minute at 45 PSI (pounds per square inch)
- Self-priming, dry-running pump
- Pump lift to 6 feet
- Operation with any off-the-shelf sprinkler or underground misting system
- Expandable capability for large volume use

Solar SWJ2



Solar Powered Water Pumping System -

Stationary Version
Complete Solar Powered Pump System.

PRODUCT CODE: SWJ1

Solar Rolling Cart with Sprinkler



Solar Powered Water Pumping System -

Hose Cart Version
Complete Solar Powered Pump System.

(Garden hose and sprinkler not included)



PRODUCT CODE: CWJ1

Pump STATIONS

Many Options Available. Call for Configurations

RainHarvest Systems' design & engineering group works hand in hand with your Architect or Engineer to provide custom solutions with everything you need to harvest, store, and control the distribution of your own water supply. Our broad selection of integrated pump stations are equipped with premium pumps and motors, control panels, monitors, float switches and backup water systems.

Contact us directly for design, consultation and support.



TANKS

Designer TANKS

BUSHMAN Tanks

130 Gal Slimline Tank
 305 Gal Slimline Tank
 620 Gal Slimline Tank
 660 Gal Low Profile Tank
 1110 Gal Low Profile Tank
 1320 Gal Low Profile Tank
 865 Gal Round Tall Tank
 2825 Gal Round Tall Tank

PRODUCT CODE: BSLT130
PRODUCT CODE: BSLT305
PRODUCT CODE: BSLT130
PRODUCT CODE: BLPT660
PRODUCT CODE: BLPT1110
PRODUCT CODE: BLPT1320
PRODUCT CODE: BRTT865
PRODUCT CODE: BRTT2825



RTS Rainwater Tank

This rectangular rainharvesting solution provides an attractive, efficient, economical and unique way to capture and store rainwater. *Dimensions: 69"L X 22"W X 45"H*

214 Gallon Rain Harvesting Tank -
PRODUCT CODE: 5529-000100

Waterwall

Innovative and modern in design, Waterwall products aim for maximum capacity, minimum footprint. Any number of tanks can be linked together for even greater storage. *Dimensions: 7'6" long X 6'7" high X 2'4" deep*

650 Gallon "Fatboy" Rain Harvesting Tank -
PRODUCT CODE: WW650G



GRAF Carat Tank

The Graf Carat tank has many features not found in standard cisterns and is available with filter packages or as a complete system. Also available with cast iron lid to support light vehicle traffic loads.

1700 Gallon Underground Cistern -
PRODUCT CODE: 372004

TANKS


Above Ground TANKS

Opaque water storage tanks blend with the environment, provide additional protection from UV rays and reduce algae growth. Includes 1½" inlet and a 2" drain with plug.

(Standard 8", 16", 22" or 24" threaded lid as indicated.)



Choose from Black, Green or Tan



*Only offered in Black or Green

GALLONS ABOVE GROUND WATER TANK	INCHES THREADED LID	PRODUCT CODE
70 Gallon	8" threaded lid	76318
100 Gallon	8" threaded lid	76314
130 Gallon	8" threaded lid	76320
175 Gallon	8" threaded lid	76324
200 Gallon	8" threaded lid	76325
300 Gallon	8" threaded lid	76329
305 Gallon	8" threaded lid	40702
305 Gallon*	16" threaded lid	40701
<small>A TOP SELLER</small> 330 Gallon	8" threaded lid	76330
500 Gallon (low profile)	24" threaded lid	76333
550 Gallon	8" threaded lid	76335
550 Gallon*	16" threaded lid	40703
550 Gallon	8" threaded lid	40703 (Texas)
560 Gallon (low profile)	8" threaded lid	76337
750 Gallon	16" threaded lid	76345
1000 Gallon	16" threaded lid	76350
1050 Gallon	16" threaded lid	76364
1100 Gallon*	16" threaded lid	40704
1150 Gallon	22" threaded lid	76352 (Illinois)
<small>GREAT VALUE</small> 1200 Gallon	16" threaded lid	76357
1350 Gallon	16" threaded lid	40860
1550 Gallon	16" threaded lid	76368
1550 Gallon*	16" threaded lid	40627
<small>GREAT VALUE</small> 1600 Gallon (low profile)	16" threaded lid	76370
2000 Gallon	16" threaded lid	76378
2500 Gallon* (95" wide)	16" threaded lid	40631
2500 Gallon* (102" wide)	16" threaded lid	42040
2500 Gallon	22" threaded lid	76386
3000 Gallon	16" threaded lid	76390
3000 Gallon* (95" wide)	16" threaded lid	40635
3000 Gallon* (102" wide)	16" threaded lid	42042
4000 Gallon	16" threaded lid	76397
5000 Gallon* (102" wide)	16" threaded lid	40641
5000 Gallon* (119" wide)	16" threaded lid	42044
5000 Gallon* (141" wide)	16" threaded lid	40943
5200 Gallon	16" threaded lid	76409
10,000 Gallon*	16" threaded lid	41338

TANKS

In-Ground CISTERNS



Underground Sphere Cistern

325 Gallon **PRODUCT CODE:** NW-41321

550 Gallon **PRODUCT CODE:** NW-40856



Below Ground Tank

600 Gallon **PRODUCT CODE:** NW-41328



Below Ground Tank

1200 Gallon **PRODUCT CODE:** NW-41329

1400 Gallon **PRODUCT CODE:** NW-41893

1700 Gallon **PRODUCT CODE:** NW-41330



Below Ground 2500 Gallon Holding Tank

PRODUCT CODE: NW-42119



5000-50,000 Below Ground Fiberglass Tanks

Combine multiple tanks for larger configuration.



500 Gallon Below Ground Cistern Tank



- FDA approved High Density Polyethylene.
- Low profile tank design minimizes excavation.
- Hold down ledge helps keep tank from floating.

PRODUCT CODE: 36978A

1400 Gallon Below Ground Cistern Tank



- FDA approved High Density Polyethylene.
- Low profile tank design minimizes excavation.
- Manufactured at a heavy weight, which provides longer service life.
- Shown with optional second manhole and 9" riser.

PRODUCT CODE: 36986A

1700 Gallon Below Ground Cistern Tank



- FDA approved High Density Polyethylene.
- Low profile tank design minimizes excavation.
- Manufactured at a heavy weight, which provides longer service life.

Dimensions: 61"H x 51"W x 162"L
(height includes lid)

PRODUCT CODE: 36996A

Bruiser Below Ground Cistern Tank



The "Bruiser" tank can be buried as-is and requires no special backfilling material and there is no need to fill with water during backfill. Norwesco's cisterns have been certified under ANSI/NSF Standard 61 for potable drinking water.

1000 Gallon

PRODUCT CODE: NW-41734

1250 Gallon


PRODUCT CODE: NW-41752

1500 Gallon

PRODUCT CODE: NW-41771

MODULAR STORAGE

ATLANTIS



Why Use Atlantis Rainwater Tanks?

Clean Water Storage

The Atlantis tank is pre-filtered. Inside the tank, water is kept at optimum conditions by promoting aerobic activity within the tank. This prevents stagnation and growth of unhealthy anaerobic bacteria.

Capture Water from Your Roof Garden or Driveway

Atlantis modular tanks can be arranged in any size and shape under ground. The tank is filled by a conveyance system or by infiltration, ensuring purity of the water.


Unlimited Capacity

Can be constructed to hold any volume of required water.



Use of Valuable Space

They are installed underground preserving the look of your home & garden and provides more usable ground area and enhanced aesthetic setting compared to above ground concrete or plastic tanks.

ASSEMBLY: All units are assembled from 4 small plates and 4 large plates. These plates are snapped together to form the box structure.



Many Options Available. Call for Configurations.



COMPLETE SYSTEMS

System Includes:

1. Leaf Eater Rain Filter
2. 12" First Flush Diverter
3. Rotonics 2500 Gallon PE Tank
4. Goulds 1/2 hp Pump
5. 2-4" Multi Tite Gaskets
6. PVC Pump base
7. GRAF 1" Floating Extractor
8. Calming Inlet
9. Smart Press Pump Control
10. 1-1/4" Bulkhead Fitting
11. Overflow Siphon with rodent guard

2600 Gallon RainMaster Above Ground Rainwater System

2600 Gallon RainMaster Above Ground Rainwater System

05-19-09

CMG

RainMaster 2600

2600 Gallon RainMaster Above Ground Rainwater System

RainHarvest Systems LLC
 5190 Performance Dr
 Cumming, GA 30040
 Tel: 770-889-2533
 Fax: 770-889-2577

www.rainharvest.com
info@rainharvest.com

RAINMASTER SYSTEMS

USERS Responsibility
 Rainwater supplied by RainHarvest Systems is NON-Potable water. Warning: do not drink water supplied from RainHarvest Systems rainwater systems and related equipment. We will be happy to offer suggestions on the use of our various products either by way of printed material or through direct contact with RainHarvest Systems team members. However, since we have no control over the use of our products once they are shipped, NO WARRANTY, WEATHER OF MERCHANTABILITY, FITNESS FOR PURPOSE, OR OTHERWISE, is made beyond the repair, replacement, or refund of purchase price at the sole discretion of RainHarvest Systems. Users shall determine the suitability of the product for the intended application before using, and the users assume all risk and liability, whatsoever in connection therewith, regardless of any team members' suggestions or statements as to the application or construction. In no event of the purchase price of the product. Consult local building codes for the system use.

NOTE: This drawing is for illustrative purposes only. Actual systems and designs may vary. Always check with local building codes as they will apply. Electrical work to be performed by licensed professional. Points of use shall be labeled as: "Non Potable water, Do Not Drink!"

System Includes:

1. GRAF Optimax in ground filter.
2. 12" In ground First Flush Diverter.
3. Rotonics 1700 Gallon PE Tank.
4. Goulds 1/2 hp Pump with base.
5. 2-4" Multi Tite Gaskets.
6. PVC Pump base.
7. GRAF 1" Floating Extractor.
8. Calming Inlet.
9. Smart Press Pump Control.
10. 1-1/4" Bulkhead Fitting.
11. Overflow Siphon with rodent guard.

1700 Gallon RainMaster Below Ground Rainwater System

1700 Gallon RainMaster Below Ground Rainwater System

05-19-09

CMG

RainMaster 1700UG

1700 Gallon RainMaster Below Ground Rainwater System

RainHarvest Systems LLC
 5190 Performance Dr
 Cumming, GA 30040
 Tel: 770-889-2533
 Fax: 770-889-2577

www.rainharvest.com
info@rainharvest.com

RAINMASTER SYSTEMS

USERS Responsibility
 Rainwater supplied by RainHarvest Systems is NON-Potable water. Warning: do not drink water supplied from RainHarvest Systems rainwater systems and related equipment. We will be happy to offer suggestions on the use of our various products either by way of printed material or through direct contact with RainHarvest Systems team members. However, since we have no control over the use of our products once they are shipped, NO WARRANTY, WEATHER OF MERCHANTABILITY, FITNESS FOR PURPOSE, OR OTHERWISE, is made beyond the repair, replacement, or refund of purchase price at the sole discretion of RainHarvest Systems. Users shall determine the suitability of the product for the intended application before using, and the users assume all risk and liability, whatsoever in connection therewith, regardless of any team members' suggestions or statements as to the application or construction. In no event of the purchase price of the product. Consult local building codes for the system use.

NOTE: This drawing is for illustrative purposes only. Actual systems and designs may vary. Always check with local building codes as they will apply. Electrical work to be performed by licensed professional. Points of use shall be labeled as: "Non Potable water, Do Not Drink!"

ACCESSORIES

Tank ACCESSORIES

GRAF Calming Inlet



Water from the filter is fed into the tank via the Calming Inlet to prevent swirling of the water, disturbance of fine sediments and to introduce oxygen at the bottom of the tank. This device also helps prevent mosquitoes.

PRODUCT CODE: 330192

WISY Smoothing Inlet – Stainless Steel



Stainless Steel smoothing inlet from WISY. Prevents incoming water from disturbing sediment on the bottom of rainwater tank.

PRODUCT CODE: RH9530SI

GRAF Overflow Siphon



Dirt particles that are lighter than water (e.g. pollen & dust) settle on the water surface as a floating layer. This floating layer is removed when the tank overflows by means of the overflow siphon in the tank. Also aids in mosquito prevention.

Differs from the standard overflow siphon with the inclusion of a slotted steel rodent guard.

[Option A]

PRODUCT CODE: 330108

[Option B]-Rodent Guard

PRODUCT CODE: 202030

TANK GAUGE™ Tank Level Monitor



The RainHarvesting Tank Gauge™ is a water level indicator that is simple and easy to install. Suitable for all vented tanks up to 100" in height. Features an easy-to-read display dial and utilizes a weight float, suspended on a string line to provide accurate readings.

PRODUCT CODE: TATG01

RAIN ALERT Tank Level Monitor



Using ultrasonic technology inside the tank and RF wireless to the base unit, this monitoring system tells you how much rainwater is in your tank or cistern.

PRODUCT CODE: TARA99

RAIN AID Tank Top Up Valve

Under normal conditions, rain water will fill the tank. If the rainwater level drops below a pre-set level, the RainAid® valve will open to maintain the water level using an alternative source. Connects via 3/4" male pipe thread.

PRODUCT CODE: RA20



RHS Pump Base 100/125



Stand alone pump base with 1" or 1 1/4" brass barbed inlet. Specially designed for use with 5-1/4" diameter cistern pumps sold through RainHarvest Systems.

PRODUCT CODE: 84139100

PRODUCT CODE: 84139125

WISY Stainless Steel Pump Base



Stainless Steel Pump Base for Submersible Pump with 1.25" outlet.

1.25 Inch - [Option A]

PRODUCT CODE: PumpBase1.25

2 Inch - [Option B]

PRODUCT CODE: PumpBase2

ACCESSORIES

Tank RISERS & LIDS

TUF-TITE 20" Lid



Twenty inch Tuf-Tite Lid. Attaches with eight stainless steel screws to assure safety and it looks great in the yard.

PRODUCT CODE: 20-RISL

TUF-TITE 20" x 6" Riser



Tuf-Tite 20" x 6" Riser for Cistern tank lid. Green.

PRODUCT CODE: 20-RIS

TUF-TITE Tank Adapter Ring



20" Tank Adapter Ring from Tuf-Tite. Adapts underground PE tanks to accept 20" TUF-TITE brand risers and lids.

PRODUCT CODE: 20-TAR

TUF-TITE 20" x 12" Riser



Tuf-Tite 20" x 12" Riser for Cistern tank lid. Green.

PRODUCT CODE: 20x12-RIS

Tank SIGNS & LABELS

Rain Harvesting Yard Sign



Having your sprinklers running during a drought can be a little risky. But if you have this sign in your yard your neighbors and code enforcement officers will know that you're doing your part by irrigating with harvested rainwater.

PRODUCT CODE: IBHR-001

Non-Potable Water Sticker (Bilingual)



5"W X 3.5"H. Caution: Non-potable water. Not for drinking or cooking use. Agua no potable. No beber. (OSHA). Free shipping via USPS letter.

PRODUCT CODE: YellowBlackOCB4980


Non-Potable Water Sticker



5"W X 3.5"H. Notice: Non-potable water. Not for drinking or cooking use. (ANSI). Free shipping via USPS letter.

PRODUCT CODE: Notice4990

Recycled Water Sticker (Bilingual)



5"W X 3.5"H. Recycled water do not drink. Agua reciclada no beba el agua (Safety). Free shipping via USPS letter.

PRODUCT CODE: Recycle9608

Non-Potable Water Sticker (Bilingual)



5"W X 3.5"H. Caution: Non-potable water. Not for drinking or cooking use. Agua no potable. No beber. (ANSI). Free shipping via USPS letter.

PRODUCT CODE: WhiteYellow4980

Purple Recycled/Reclaimed Water ID Tag



Purple Recycled/Reclaimed Valve and ID Tag - Bilingual.

PRODUCT CODE: IDRC006



Americans now use an average of 100 gallons of water each day—enough to fill 1,600 drinking glasses. A recent government survey showed at least 36 states are anticipating local, regional, or statewide water shortages by 2013. By using water more efficiently, we can help preserve water supplies for future generations, save money, and protect the environment.

Source: U.S. Environmental Protection Agency



5190-D Performance Drive
Cumming, Georgia 30040