

# THE LEAF EATER REVOLUTION

RAIN HEADS TO SUIT EVERY APPLICATION

Rain  Harvesting<sup>TM</sup>  
[www.rainharvesting.com.au](http://www.rainharvesting.com.au)


# OUR NEW PATENTED TECHNOLOGY



(Patented)

## Patented Next Generation Technology for Advanced Debris Shedding


- Minimal maintenance
- Directs leaves & debris away from the flow of water
- 0.955mm aperture stainless steel mosquito proof screen
- Single screen for easy installation and maintenance
- Superior flow rate performance
- High catchment efficiency maximises collection of water during low and high rainfall




(Patent Pending)

## VH Pivot Outlet Makes Installation Easy

- Pivot the outlet to suit either vertical or horizontal (rear outlet) downpipes
- Easy to adjust manually
- Rubber o-ring included for a water tight seal



Horizontal Position




Vertical Position



(Patent Pending)

## Innovative Filtration & Debris Shedding Technology


- Innovative Rain Head technology
- The Leaf Slide deflects debris away from the screen
- Precisely angled vibrating screen directs leaves and debris away from the flow of water to maximise catchment efficiency



(Patent Pending)

## Break Through First Flush Technology

- Compact inline first flush diverter – no additional chamber required
- Automatically diverts the first flush of water from the roof (which contains contaminants such as dirt, dust, bird droppings and insects) directly to the stormwater
- The self regulating valve adjusts to divert the optimum volume of first flush based on the intensity of the rainfall
- Built in safety overflow to stormwater
- Resets in approximately 72 hours to maximise catchment during periods of intermittent rainfall



# ALL IN ONE RAINWATER FILTRATION & COLLECTION SYSTEM



## The Premium Choice for Easy, High Quality Rainwater

- ✓ Break through Rain Head and First Flush Diverter technology in one easy to install product offering
- ✓ Cutting edge Rain Head technology uses the Leaf Slide and a precisely angled vibrating screen to deflect debris off the screen. (Hydro Activated Filtration™ technology)
- ✓ A unique sleek cover and cap provides a stylish, integrated look
- ✓ Compact inline First Flush Diverter diverts the first flush of rainwater containing contaminants from the roof to stormwater – no additional chamber required (Smart Sense® technology)
- ✓ Minimal maintenance, cleans automatically
- ✓ The Clean Rain® Body swivels for convenient outlet positioning, fits standard garden, 22mm grey water and 38mm pool hoses, and 90mm pipe
- ✓ Multi-fit cap and downpipe adaptors – 90mm and 100mm, 100 x 75mm and 100mm x 50mm
- ✓ Easily accessible on/off switch, with a safety overflow to stormwater drain



## The Practical Choice for All in One Rainwater Harvesting

- ✓ The new patented Rain Head single screen technology deflects leaves and debris away from the flow of water (Clean Shield™), allowing greater flow rates and maximising collection of rainwater to the rainwater tank
- ✓ The compact inline First Flush Diverter diverts the first flush of rainwater which contains contaminants from the roof to stormwater – no additional chamber required (Smart Sense® technology)
- ✓ Minimal maintenance, cleans automatically
- ✓ The Clean Rain® Body swivels for convenient outlet positioning, fits standard garden, 22mm grey water and 38mm pool hoses, and 90mm pipe
- ✓ Multi-fit downpipe adaptors – 90mm and 100mm, 100 x 75mm and 100mm x 50mm
- ✓ Easily accessible on/off switch
- ✓ Built in safety overflow to stormwater



# NEXT GENERATION HIGH PERFORMANCE RAIN HEADS



## The Ultimate in Innovation, Design and Performance

- ✓ This Rain Head is a combination of a modern, sleek design and the latest Rain Head technology – the ultimate in Rain Heads
- ✓ Integrated cover and cap to compliment modern and classic architecture
- ✓ Leaf Eater Ultra™ uses the Leaf Slide and a precisely angled vibrating screen to deflect debris off the screen, for high flow rate performance. (Hydro Activated Filtration™ technology)
- ✓ A single mosquito proof stainless steel mesh screen with 0.955mm aperture
- ✓ Minimal maintenance required, designed to clean automatically
- ✓ Pivot the outlet to suit vertical or horizontal (rear outlet) downpipes (VH Pivot™)
- ✓ Maximises the catchment efficiency at low and high flow rates
- ✓ Multi-fit cap – 90mm, 100mm, 100mm x 75mm and 100mm x 50mm
- ✓ Available in 90mm or 100mm outlets



hydro **activated**  
FILTRATION TECHNOLOGY



## The Next Generation in Rain Heads

- ✓ A compact, versatile Rain Head for quick and easy DIY installations
- ✓ Patented single screen technology for advanced debris shedding (Clean Shield™)
- ✓ Minimal maintenance, screen automatically sheds debris
- ✓ Pivot the outlet to suit vertical or horizontal (rear outlet) downpipes (VH Pivot™)
- ✓ High flow rate performance
- ✓ Superior catchment efficiency at low and high flow rates
- ✓ A single mosquito proof stainless steel mesh screen with 0.955mm aperture
- ✓ Available in 90mm or 100mm outlets



clean **shield**  
NEXT GENERATION TECHNOLOGY



# THE ORIGINAL LEAF EATER

**leaf eater**™  
ORIGINAL

**clean shield**™  
NEXT GENERATION TECHNOLOGY



## The Original High Performance Rain Head – now with Enhanced Performance

- ✓ Upgraded with new debris shedding single screen technology (Clean Shield™)
- ✓ Minimal maintenance – the screen automatically sheds debris
- ✓ Enhanced flow rate capacity
- ✓ Superior catchment efficiency at low and high flow rates
- ✓ A single mosquito proof stainless steel mesh screen with 0.955mm aperture
- ✓ Available in 90mm or 100mm outlets



**clean shield**™  
NEXT GENERATION TECHNOLOGY

**leaf eater**™  
ORIGINAL



## Proven and Trusted for over 17 years

- ✓ The original high performance Rain Head
- ✓ Improved maintenance with new, easy to use screen clips
- ✓ Two screen technologies:
  - Self shedding 6mm aperture screen for large debris
  - A single mosquito proof stainless steel mesh screen with 0.955mm aperture is fitted with a secure “locking system”
- ✓ High flow rate performance
- ✓ Superior catchment efficiency at low and high flow rates
- ✓ Available in 90mm or 100mm outlets



# PRACTICAL & VERSATILE RAIN HEADS

**leaf beater**™  
ORIGINAL

**clean shield**™  
NEXT GENERATION TECHNOLOGY



## The Original Compact Rain Head – now with Enhanced Performance

- ✓ Upgraded with new debris shedding single screen technology (Clean Shield™)
- ✓ Enhanced catchment efficiency – collect more rainwater
- ✓ Minimal maintenance – screen automatically sheds debris
- ✓ Higher flow rate performance
- ✓ Compact design suits smaller spaces
- ✓ A single mosquito proof stainless steel mesh screen with 0.955mm aperture
- ✓ Available in 90mm or 100mm outlets



**clean shield**™  
NEXT GENERATION TECHNOLOGY

**leaf catcha**™  
ORIGINAL



## Versatile Leaf and Debris Catcher

- ✓ Great value "bucket style" Rain Head – two debris screens included
- ✓ Ideal rainwater tank overflow catchment product
- ✓ Two screen technologies:
  - The 6mm aperture screen prevents leaves and debris from entering downpipes or stormwater
  - A single mosquito proof stainless steel mesh screen with 0.955mm aperture is fitted with a secure "locking system"
- ✓ Easy to remove for maintenance
- ✓ High flow rate performance
- ✓ Superior catchment efficiency at low and high flow rates
- ✓ Dual fit 90mm and 100mm outlet



# RETROFIT & COMMERCIAL APPLICATIONS

upgrade  screens™

leaf  eater™  
COMMERCIAL



## Upgrade for Low Maintenance with Superior Performance

- ✓ Upgrade screens available for Leaf Eater® Original and Leaf Beater® Original Rain Heads
- ✓ Patented single screen technology for advanced debris shedding (Clean Shield™)
- ✓ Easy to install and minimal maintenance
- ✓ Enhances catchment efficiency and flow rate, by deflecting debris away from the flow of water
- ✓ A single mosquito proof stainless steel mesh screen with 0.955mm aperture
- ✓ Increases flow rate performance

INSTALLATION IS AS EASY AS SWAPPING SCREENS



LEAF EATER upgrade  screen™ LEAF BEATER upgrade  screen™



clean  shield™  
NEXT GENERATION TECHNOLOGY

## The Next Generation Commercial Rain Heads

- ✓ High flow rate performance to match commercial requirements
- ✓ Patented single screen technology for advanced debris shedding (Clean Shield™)
- ✓ Minimal maintenance – screen automatically sheds debris
- ✓ Superior catchment efficiency
- ✓ A single mosquito proof stainless steel mesh screen with 0.955mm aperture
- ✓ Available in Stainless Steel, ZINCALUME® or any of the 20 standard COLORBOND® colours
- ✓ Available in 150mm or 225mm outlets
- ✓ Product dimensions:  
H: 414mm, W: 464mm, D: 338mm



clean  shield™  
NEXT GENERATION TECHNOLOGY

# PRODUCT RANGE

**Rain Heads  
in all sizes and designs**



**All in One Solution  
to suit any application**



**EASY  
TO INSTALL!  
& LOW MAINTENANCE**

FITS 90mm, 100mm,  
100 x 75mm and 100 x 50mm  
downpipes




**Downpipe Adaptors** ●  
Both downpipe adaptors included, suitable for  
either rectangular or round downpipes.

# THE COMPLETE RAIN HARVESTING SYSTEM

## The Revolution in RAIN HARVESTING Rain Heads offers:

- ✓ Even easier installation
- ✓ Minimal maintenance
- ✓ Improved catchment efficiency
- ✓ High flow rate performance
- ✓ New innovative technologies
- ✓ A Rain Head to suit every application



1. Check **ROOF SURFACE** is suitable for collecting quality rainwater.
2. Install **GUTTER MESH** (such as Blue Mountain Mesh®) to prevent leaves and debris from blocking gutters.
3. Fit **GUTTER OUTLETS** from the underside of the gutter to prevent obstruction of water flow.

4. Fit Leaf Eater® or Leaf Beater® **RAIN HEADS** to downpipes to prevent blocking. Rain Heads deflect leaves and debris and keep mosquitoes out of pipes that hold water ('wet' systems).

5. Install **FIRST FLUSH DIVERTER/S** to help prevent the most contaminated rainwater from entering the tank.
6. Ensure a **TANK SCREEN** is installed at tank entry point to keep mosquitoes and pests out.
7. Choose a **WATER TANK**. Consider annual rainfall, roof catchment area and water usage when determining its size.
8. Attach **INSECT PROOF SCREENS** or **FLAP VALVES** to the end of all pipes to the tank screen (for 'wet' systems) and to **TANK OVERFLOW OUTLETS** to keep mosquitoes and pests out and ensure the tank is vented properly.
9. Utilise a **TANK TOP UP** system (if required) to automatically top up the tank with mains water when levels fall to a designated minimum level.
10. Select a **PUMP SYSTEM** (if required) to distribute water for use inside or outside the home.
11. **RAINWATER FILTER**. Fit a purpose designed rainwater filter after the pump to help reduce residual sediment, colour and odour.
12. **WATER LEVEL INDICATOR**. Install a Tank Gauge water level indicator to your rainwater tank to monitor your water level and usage.

\*Consider local council requirements and have a plumber complete installation where required.

© Rain Harvesting Pty Ltd

## Installing Rain Heads:

- Prevents leaves and debris from blocking downpipes and entering the rainwater system
- Stops mosquitoes and vermin from accessing the rainwater system via the downpipe
- Improves rainwater quality into your tank
- Reduces tank maintenance

**Rain Heads are an important part of every Rain Harvesting System.**

# CHOOSE THE RAIN HEAD TO SUIT YOUR APPLICATION

Product									
<b>PERFORMANCE</b>									
Minimal Maintenance	✓	✓	✓	✓	✓		✓		✓
High Flow Rate Performance	✓	✓	✓	✓	✓	✓	✓	✓	✓
High Catchment Efficiency	✓	✓	✓	✓	✓	✓	✓	✓	✓
Mosquito Proof Screening (0.955mm aperture)	✓	✓	✓	✓	✓	✓	✓	✓	✓
First Flush Functionality	✓	✓							
<b>INSTALLATION</b>									
Compact Size				✓			✓		
Vertical & Horizontal Pivoting Outlet			✓	✓					
Gutter Mount	✓	✓	✓	✓	✓	✓	✓	✓	✓
Mid Mount	✓	✓	✓	✓	✓	✓	✓	✓	✓
Outlet Size	Multi Fit (90mm, 100mm, 100 x 75mm, 100 x 50mm)	Multi Fit (90mm, 100mm, 100 x 75mm, 100 x 50mm)	90mm or 100mm	90mm or 100mm	90mm or 100mm	90mm or 100mm	90mm or 100mm	Dual Fit (90mm and 100mm)	150mm or 225mm
<b>DESIGN</b>									
Integrated Cover	✓		✓						
Modern Design	✓	✓	✓	✓					✓
 Easy to Paint	✓	✓	✓	✓	✓	✓	✓	✓	✓
Wide Colour Range									✓
<b>PATENTED TECHNOLOGY</b>									
Hydro Activated Filtration™ Single Screen	✓		✓						
Clean Shield™ Single Screen		✓		✓	✓		✓		✓
VH Pivot™ Outlet			✓	✓					
Smart Sense® First Flush	✓	✓							
<b>MATERIAL</b>									
UV stable lead free PVC Body	✓	✓	✓	✓	✓	✓	✓		
Stainless Steel Mesh Screens	✓	✓	✓	✓	✓	✓	✓	✓	✓
ZINCALUME®									✓
COLORBOND®									✓
Stainless Steel									✓
Polypropylene								✓	
<b>DIMENSIONS</b>									
Height	795mm	643mm	395mm	244mm	289mm	289mm	280mm	210mm	414mm
Width	205mm	194mm	205mm	194mm	275.5mm	275.5mm	210.5mm	289mm	464mm
Depth	230mm	200mm	230mm	168mm	188mm	188mm	180mm	180mm	338mm

COLORBOND® and ZINCALUME® are registered trademarks of BlueScope Steel Limited.